



**neffy**<sup>®</sup>  
(epinephrine nasal spray)  
1 mg • 2 mg

# Hello neffy. Goodbye needles.

Say hello to needle-free **neffy**,  
the **only** epinephrine nasal spray.

**Ask your doctor for neffy today.**

All patients shown are actor portrayals.  
All devices shown are not actual size.

**FDA  
APPROVED**

## WHAT IS **neffy**?

**neffy** is a nasal spray used for emergency treatment of allergic reactions including anaphylaxis, in adults and children aged 4 years and older who weigh 33 lbs or greater.

## IMPORTANT SAFETY INFORMATION

**What is the most important information that I should know about **neffy**?**

**neffy** contains epinephrine, a medicine used to treat allergic emergencies (anaphylaxis). Anaphylaxis can be life-threatening, can happen in minutes, and can be caused by stinging and biting insects, allergy injections, foods, medicines, exercise, or other unknown causes.

Please see the Important Safety Information throughout and full Prescribing Information and Patient Information for **neffy**.

Every second counts. ⌚

83%

of people hesitate or don't use epinephrine during an allergic reaction, increasing the risk of serious complications.

**neffy**<sup>®</sup>  
(epinephrine nasal spray)  
1 mg • 2 mg

Will you have  
epinephrine when  
you need it?

Allergic reactions can be unpredictable.  
But approximately **60% of patients do not consistently carry** their epinephrine needle-injectors, possibly because of fear of needles. Stay prepared and carry **neffy** with you at all times.

No needles.  
No hesitation.

○ **neffy** delivers the **same epinephrine** you'd get from a needle-injector, but in a nasal spray that's designed to be easy to use, so you can treat allergic reactions as soon as they start.

○ **Pocket-sized preparedness.** **neffy's** small size makes it convenient to take with you anywhere you go, so treatment is always close at hand.

**neffy's innovative needle-free design is available in two doses.**



**neffy 1 mg** is for those 4 years and older, who weigh 33 lbs to less than 66 lbs.

**neffy 2 mg** is for those who weigh 66 lbs and greater.



#### IMPORTANT SAFETY INFORMATION (cont'd)

Always carry two **neffy** nasal sprays with you because you may not know when anaphylaxis may happen and because you may need a second dose of **neffy** if symptoms continue or come back. Each **neffy** contains a single dose of epinephrine. **neffy** is for use in the nose only.

Use **neffy** right away, as soon as you notice symptoms of an allergic reaction. If symptoms continue or get worse after the first dose of **neffy**, a second dose is needed. If needed, administer a second dose using a new **neffy** in the same nostril *starting 5 minutes after the first dose*. Get emergency medical help for further treatment of the allergic emergency (anaphylaxis), if needed after using **neffy**.

Please see the Important Safety Information throughout and full [Prescribing Information](#) and [Patient Information](#) for **neffy**.

**neffy**<sup>®</sup>  
(epinephrine nasal spray)  
1 mg • 2 mg



## How neffy works

- The epinephrine in **neffy** is designed to be **rapidly absorbed** into the nasal passage to reverse the reaction.
- **neffy** uses Intravail<sup>®</sup> technology, which temporarily loosens the spaces between the nasal cells to help epinephrine be absorbed into the body.
- **neffy starts to work in under a minute**, providing fast, trusted epinephrine to treat the allergic reaction.
- The epinephrine in **neffy** affects the body like the epinephrine in a needle-injector, including blood pressure and heart rate.

Scan here to see how **neffy** works



## Same epinephrine, different device.

- In a clinical study, **100% of participants** who received **neffy** during an allergic reaction **experienced complete symptom resolution**.<sup>††</sup>
- **neffy** delivers comparable epinephrine levels to needle-injectors—even in people with a stuffy nose.



<sup>\*</sup>9 patients were given **neffy** 2 mg and 6 patients were given **neffy** 1 mg.  
<sup>††</sup>One patient developed a biphasic reaction 2 hours and 45 minutes following administration of **neffy** and was treated with epinephrine at the time of that reaction.

### IMPORTANT SAFETY INFORMATION (cont'd)

Tell your healthcare provider if you have underlying structural or anatomical nasal conditions, about all the medicines you take, and about all your medical conditions, especially if you have heart problems, kidney problems, low potassium in your blood, Parkinson's disease, thyroid problems, high blood pressure, diabetes, are pregnant or plan to become pregnant, or plan to breastfeed.

Please see the Important Safety Information throughout and full [Prescribing Information](#) and [Patient Information](#) for **neffy**.



# Flexibility for real life.

With a longer shelf life than epinephrine needle-injectors—2.5 years\* (2 mg) and 2 years\* (1 mg)—**neffy** is ready for immediate action and long-term preparedness.

Check your **neffy** periodically to be sure the expiration date has not passed.

\*From date of manufacture.



## neffy goes wherever you go.

With **temperature flexibility up to 122°F** for a few days, no special accommodations are needed. Simply store **neffy** at room temperature.<sup>†</sup>

<sup>†</sup>Store **neffy** at room temperature between 68°F to 77°F (20°C to 25°C). Do not freeze. If **neffy** freezes, the device will not spray.

**neffy**<sup>®</sup>  
(epinephrine nasal spray)  
1 mg • 2 mg

**Keys.** ✓

**Phone.** ✓

**Wallet.** ✓

**neffy.** 🚒

**Always carry 2 neffy devices with you.**

Keep additional devices at work, school, or other locations, and make sure others know where they are and how to use them.



### IMPORTANT SAFETY INFORMATION (cont'd)

Tell your healthcare provider if you take or use other nasal sprays or water pills (diuretics) or if you take medicines to treat depression, abnormal heart beats, Parkinson's disease, heart disease, thyroid disease, medicines used in labor, and medicines to treat allergies. **neffy** and other medications may affect each other, causing side effects. **neffy** may affect the way other medicines work, and other medicines may affect how **neffy** works.

Please see the Important Safety Information throughout and full [Prescribing Information](#) and [Patient Information](#) for **neffy**.

# How to use *neffy* in four steps

Use *neffy* as soon as you notice symptoms of an allergic reaction



## 1 REMOVE *neffy* from packaging.

Pull open the packaging to remove the *neffy* nasal spray device.



## 2 HOLD device as shown.

Hold the device with your thumb on the bottom of the plunger and a finger on either side of the nozzle

- Do not pull or push on the plunger.
- Do not test or prime (pre-spray). Each device has only 1 spray.



## 3 INSERT the nozzle into a nostril until your fingers touch your nose.

Keep the nozzle straight into the nose pointed toward your forehead.

- Do not point (angle) the nozzle to the nasal septum (wall between your 2 nostrils) or outer wall of the nose.



## 4 PRESS plunger up firmly until it snaps up and sprays liquid into the nostril.

- Do not sniff during or after the dose is given. If any liquid drips out of the nose, you may need to give a second dose of *neffy* after checking for symptoms.

## When using *neffy*

- Each *neffy* nasal spray device has only 1 dose of medicine and is for single use only.
- Always carry 2 *neffy* nasal spray devices with you.
- Use only in the nose. Avoid spraying in the eyes or mouth.
- Do not angle nozzle.
- Do not sniff during or after use.
- Patient can be in any position (eg, standing, sitting, laying, reclining).

**neffy**<sup>®</sup>  
(epinephrine nasal spray)  
1 mg • 2 mg

## After using *neffy*



Get emergency medical help for further treatment of the allergic emergency (anaphylaxis), if needed, after using *neffy*. Tell them that a *neffy* nasal spray has been used.



Check for symptoms after the first dose of *neffy*. If symptoms get worse or come back, give a second dose of *neffy* in the **SAME nostril** starting 5 minutes after the first dose.



Scan to watch videos on how to use *neffy*.

Read the full Instructions for Use and ask your doctor if you have any questions before using *neffy*.

## IMPORTANT SAFETY INFORMATION (cont'd)

### What are the side effects of *neffy*?

*neffy* may cause serious side effects. If you have certain medical conditions or take certain medicines, your condition may get worse, or you may have more or longer lasting side effects when you use *neffy*.

Please see the Important Safety Information throughout and full [Prescribing Information](#) and [Patient Information](#) for *neffy*.



## Support. Savings. Updates.

Being prepared doesn't stop at your prescription.

Stay **neffy** ready with expiration reminders, savings options for eligible patients, and support with **neffyconnect**. Get all this information sent directly to your email or your phone.

SCAN TO ENROLL



## Get **neffy** your way.

Ask your doctor to:

- Prescribe **neffy** through **BlinkRx**, our online pharmacy partner.
- Send your prescription to a **pharmacy of your choice**.\*



\*ARS Pharma does not prefer or recommend one pharmacy over another.

## No needles. No hidden costs.



**neffy** is available through many insurance plans.

Take the next step with **neffy**. Pay as little as **\$25** with a co-pay card\*, if eligible, and never more than \$199 for a prescription through GoodRx.

**\$25**

Get **at least 4 devices for \$25** through the co-pay savings program, if eligible.\* Ask your doctor to prescribe 2 or more sets of **neffy**.

You can request a refill for **neffy** every 30 days, or immediately after you have used your **neffy** device.

\*See full terms and conditions at [neffy.com/terms](https://neffy.com/terms).



Scan the QR code or visit [neffy.com](https://neffy.com) to **download the co-pay card** and bring it with you to the pharmacy.

**TIP:** Download to your mobile wallet or take a screenshot of the co-pay card and save to your photos.



**neffy**<sup>®</sup>  
(epinephrine nasal spray)  
1 mg • 2 mg

**Hello preparation.  
Goodbye hesitation.**

Scan here to hear from **neffy**  
patients and caregivers.



**Get your *neffy*  
carrying case.**

Take two **neffy** devices  
on the go with this  
compact carrying case.



**Scan the QR code** to create  
an account and order your free,  
optional carrying case today.

#### **IMPORTANT SAFETY INFORMATION (cont'd)**

Common side effects of **neffy** include: nasal discomfort, headache, throat irritation, chest and nasal congestion, feeling overly excited, nervous or anxious, nose bleed, nose pain, sneezing, runny nose, dry nose or throat, tingling sensation, including in the nose, feeling tired, dizziness, nausea, and vomiting.

**Tell your healthcare provider if you have any side effects that bother you or that do not go away after using neffy.**

These are not all of the possible side effects of **neffy**. Call your healthcare provider for medical advice about side effects. To report side effects, contact ARS Pharmaceuticals Operations, Inc. at **1-877-MY-NEFFY (877-696-3339)** or the FDA at 1-800-FDA-1088 or [www.fda.gov/medwatch](http://www.fda.gov/medwatch).

Please see the Important Safety Information throughout and full [Prescribing Information](#) and [Patient Information](#) for **neffy**.

## INDICATION AND IMPORTANT SAFETY INFORMATION

### WHAT IS **neffy**?

**neffy** is a nasal spray used for emergency treatment of allergic reactions including anaphylaxis, in adults and children aged 4 years and older who weigh 33 lbs or greater.

### IMPORTANT SAFETY INFORMATION

**What is the most important information that I should know about **neffy**?**

**neffy** contains epinephrine, a medicine used to treat allergic emergencies (anaphylaxis). Anaphylaxis can be life-threatening, can happen in minutes, and can be caused by stinging and biting insects, allergy injections, foods, medicines, exercise, or other unknown causes.

Always carry two **neffy** nasal sprays with you because you may not know when anaphylaxis may happen and because you may need a second dose of **neffy** if symptoms continue or come back. Each **neffy** contains a single dose of epinephrine. **neffy** is for use in the nose only.

Use **neffy** right away, as soon as you notice symptoms of an allergic reaction. If symptoms continue or get worse after the first dose of **neffy**, a second dose is needed. If needed, administer a second dose using a new **neffy** in the same nostril *starting 5 minutes after the first dose*. Get emergency medical help for further treatment of the allergic emergency (anaphylaxis), if needed after using **neffy**.

Tell your healthcare provider if you have underlying structural or anatomical nasal conditions, about all the medicines you take, and about all your medical conditions, especially if you have heart problems, kidney problems, low potassium in your blood, Parkinson's disease, thyroid problems, high blood pressure, diabetes, are pregnant or plan to become pregnant, or plan to breastfeed.



Tell your healthcare provider if you take or use other nasal sprays or water pills (diuretics) or if you take medicines to treat depression, abnormal heart beats, Parkinson's disease, heart disease, thyroid disease, medicines used in labor, and medicines to treat allergies. **neffy** and other medications may affect each other, causing side effects. **neffy** may affect the way other medicines work, and other medicines may affect how **neffy** works.

**What are the side effects of **neffy**?**

**neffy may cause serious side effects. If you have certain medical conditions or take certain medicines, your condition may get worse, or you may have more or longer lasting side effects when you use **neffy**.**

Common side effects of **neffy** include: nasal discomfort, headache, throat irritation, chest and nasal congestion, feeling overly excited, nervous or anxious, nose bleed, nose pain, sneezing, runny nose, dry nose or throat, tingling sensation, including in the nose, feeling tired, dizziness, nausea, and vomiting.

**Tell your healthcare provider if you have any side effects that bother you or that do not go away after using **neffy**.**

These are not all of the possible side effects of **neffy**. Call your healthcare provider for medical advice about side effects. To report side effects, contact ARS Pharmaceuticals Operations, Inc. at **1-877-MY-NEFFY (877-696-3339)** or the FDA at 1-800-FDA-1088 or [www.fda.gov/medwatch](http://www.fda.gov/medwatch).

Please see the Important Safety Information throughout and full [Prescribing Information](#) and [Patient Information](#) for **neffy**.





# Ask your doctor for *neffy* today.

Learn more at [neffy.com](https://neffy.com)



Follow @neffyrx on social media.    

## WHAT IS *neffy*?

*neffy* is a nasal spray used for emergency treatment of allergic reactions including anaphylaxis, in adults and children aged 4 years and older who weigh 33 lbs or greater.

## IMPORTANT SAFETY INFORMATION

**What is the most important information that I should know about *neffy*?**

*neffy* contains epinephrine, a medicine used to treat allergic emergencies (anaphylaxis). Anaphylaxis can be life-threatening, can happen in minutes, and can be caused by stinging and biting insects, allergy injections, foods, medicines, exercise, or other unknown causes.

Please see the Important Safety Information throughout and full [Prescribing Information](#) and [Patient Information](#) for *neffy*.

©2025 ARS Pharmaceuticals Operations, Inc. All rights reserved.  
"ARS Pharma," the ARS Pharma logo design, "*neffy*," the *neffy* logo, and the *neffyconnect* logo are trademarks or registered trademarks of ARS Pharmaceuticals Operations, Inc. All other trademarks are the property of their respective owners. NEF-US-0255-2 | 05/2025

